

2-Horse GN Walk-Thru w/ Dress & Side Ramp



**Safe,
Comfortable,
Versatile
and Stylish.**

HAWK's design experience and attention to detail equals unmatched quality and value. Travel in confidence with the industry leader.

Rear & Side unload ramps offer optimum versatility with ease of handling

Standard Features Include:

- Fully Lined and Insulated Walls and Doors
- White or Pewter Aluminum Outer Shell
- Custom Painted Accent Color
- Fiberglass Roof and Fenders
- Powder Coated Removable Interior Parts
- L.E.D. lights
- Sealed Fuse Box
- Transferable Warranty



Hawk
T R A I L E R S



TRAILERS


HAWK TRAILERS RESERVES THE RIGHT TO CHANGE SPECIFICATIONS AND PRICES WITHOUT NOTICE

HAWK TRAILERS


2 Horse Gooseneck Walk Thru Dress & Side Unload Ramp

Overall Length	24'6"	w/dress Custom	24'6"	25'6"	25'6"	25'6"
Width	72" wd	72" wd	72" wd	80" wd	80" wd	76"
Stall Length	7'	7'	7'	7'6"	7'6"	7'6"
Inside Height	2-5/16"	Stallion Gooseneck coupler	S	n/a	S	n/a
2-5/16"	Fulton Gooseneck coupler w/cable release	n/a	S	n/a	S	n/a
Single speed single leg jack	S	S	S	S	S	S
Axle Capacity 9900# w/4 wheel electric brakes	S	S	S	10400	10400	S
ST2257SR15(D) Radial Silver rims, Elite Aluminum rims	S	S	S	n/a	n/a	S
ST23580R16(E) Radial Silver rims, Elite Aluminum rims	n/a	n/a	S	S	S	S
Spare Tire & rim mounted inside no cover	S	S	S	S	S	S
Gooseneck Sidewall wdw 20x51 (1) each side	S	S	S	S	S	S
54" Side Unload Ramp & storm w/20x24 wdw & bar latch DS	S	S	S	S	S	S
20x24 wdw in dress door	O	S	S	O	S	S
20x24 wdw in walk thru door	S	n/a	n/a	O	S	S
20x24 wdw at horse head area	n/a	S	S	S	S	S
Rear Storm doors & stainless steel cam latches	S	S	S	S	S	S
Rear Storm door windows 20x24	O	S	S	O	S	S
Sidewall wdw 20x51 (1) each side	S	S	S	S	S	S
Carpet on floor in dress	S	S	S	S	S	S
Carpet on bulkhead wall	O	S	S	O	S	S
Saddle racks	2	2	2	2	2	2
Bridle hook set bolt on (6) aluminum	S	S	S	S	S	S
Door tie backs on all doors	S	S	S	S	S	S
Aluminum running boards	O	S	S	O	S	S
Diamond plate on fenders half, full length Elite only	S	S	S	S	S	S
Diamond plate under gooseneck, 18" high	S	S	S	S	S	S
Diamond plate on gooseneck gussets	O	S	S	O	S	S
Rubberline sidewalls	S	S	S	S	S	S
Breastburt bar pads	O	S	O	S	S	S
Divider & sidewall pads	1"	2"	1"	2"	2"	2"
Rear header pad	S	S	S	S	S	S
Floor mats 5/8"	S	S	S	S	S	S
Roof vents	2	2	2	2	2	2
Brush tray on dress door	S	S	S	S	S	S
Triangle feed bags (1) each stall	S	S	S	S	S	S
Interior head ties (3) per stall	S	S	S	S	S	S
Exterior head ties (1) per horse	S	S	S	S	S	S
Fuse block	S	S	S	S	S	S
Dome lights	2	4	2	4	4	4
Remote switch horse area lights	O	S	O	S	S	S
D.O.T Lighting	S	S	S	S	S	S
Empty trailer weight	4800 lbs	4800 lbs	4800 lbs	4800 lbs	4800 lbs	4800 lbs
Limited warranty on all products. See dealer for details.	7yr	7yr	7yr	7yr	7yr	7yr

2 Horse GN Walk-Thru w/Dress & SR



2 Horse GN Walk-Thru w/Dress &SR Classic



EFFECTIVE 04/18

HAWK TRAILERS

2 Horse Gooseneck Walk Thru Dress & Side Unload Ramp				
	w/dress Custom	w/dress Elite	w/dress Classic Custom	w/dress Classic Elite
Overall Length	24'6"	24'6"	25'6"	25'6"
Width	72" wd	72" wd	80" wd	80" wd
Stall Length	7'	7'	7'6"	7'6"
Inside Height	7'6"	7'6"	7'8"	7'8"
2-5/16" Stallion Gooseneck coupler	S	n/a	S	n/a
2-5/16" Fulton Gooseneck coupler w/cable release	n/a	S	n/a	S
Single speed single leg jack	S	S	S	S
Axle Capacity 9900# w/4 wheel electric brakes	S	S	10400	10400
ST22575R15(D) Radial Silver rims, Elite Aluminum rims	S	S	n/a	n/a
ST23580R16(E) Radial Silver rims, Elite Aluminum rims	n/a	n/a	S	S
Spare Tire & rim mounted inside no cover	S	S	S	S
Gooseneck Sidewall wdw 20x51 (1) each side	S	S	S	S
54" Side Unload Ramp & storm w/20x24 wdw & bar latch DS	S	S	S	S
20x24 wdw in dress door	O	S	O	S
20x24 wdw in walk thru door	S	S	S	S
20x24 wdw at horse head area	n/a	n/a	O	S
Rear Storm doors & stainless steel cam latches	S	S	S	S
Rear Storm door windows 20x24	O	S	O	S
Sidewall wdw 20x51 (1) each side	S	S	S	S
Carpet on floor in dress	S	S	S	S
Carpet on bulkhead wall	O	S	O	S
Saddle racks	2	2	2	2
Bridle hook set bolt on (6) aluminum	S	S	S	S
Door tie backs on all doors	S	S	S	S
Aluminum running boards	O	S	O	S
Diamond plate on fenders half, full length Elite only	S	S	S	S
Diamond plate under gooseneck, 18" high	S	S	S	S
Diamond plate on gooseneck gussets	O	S	O	S
Rubberline sidewalls	S	S	S	S
Breast/butt bar pads	O	S	O	S
Divider & sidewall pads	1"	2"	1"	2"
Rear header pad	S	S	S	S
Floor mats 5/8"	S	S	S	S
Roof vents	2	2	2	2
Brush tray on dress door	S	S	S	S
Triangle feed bags (1) each stall	S	S	S	S
Interior head ties (3) per stall	S	S	S	S
Exterior head ties (1) per horse	S	S	S	S
Fuse block	S	S	S	S
Dome lights	2	4	2	4
Remote switch horse area lights	O	S	O	S
D.O.T Lighting	S	S	S	S
Empty trailer weight	4800 lbs		4980 lbs	
Limited warranty on all products. See dealer for details.	7yr	7yr	7yr	7yr

